

① Quinsy

Commonest deep space infection

No need for AB if surgically drained

② Rokola infantum

fever $\geq 40^\circ$

conjunctivitis

rash \bar{c} fever

age 4-11

③ Ketamine

\uparrow bronchial secretions

④ Methb not caused by

aspirin

lignocaine

swfa

dexsone

⑤ blowout $\#$

frequently asso \bar{c} enophthalmos

⑥ Pneumonia in a 3wk old baby

chlamydia is cm \bar{c} eosinophilia

commonly due to ELCU

⑦ Adult epiglottitis - NO seasonal prevalence

① Most do not require intubation

⑧ meningitis

Antigen testing less effective than bacterial cultures
in pts w meningitis not pretreated with AB.

⑨ PID

tuboovarian abscess needs emergent drainage.
can present w RUQ pain

⑩ Paediatric

is the commonest cause of mortality after trauma

⑪ Tooth extraction

alveolitis occurs w in 12 hrs

apply firm pressure after removing non-adherent clot

⑫ lactrodehism

and w HTN, muscle spasm

local pain is prominent.

⑬ hypoglycaemia caused by all except
clozapine

⑭ portal HTN causes all except
jaundice
thrombocytopenia

⑮ Periorb. cellulitis
true streptococcal culture

(16) mastitis

mostly caused by staph

(17) Botulism

loss of light reflex

can be by $\bar{}$ AB

(18) trauma to meninges

webs spent in 90% of cases

(19) Hypertrophic cardiomyopathy

Commonly presents $\bar{}$ SOB, chest pain - exertional
NOT to be treated $\bar{}$ β blockers.

(20) AF $\bar{}$ WPW

amiodarone does not ^{have any} effect on accessory bundle
cardionion is $\bar{}$ of choice in unstable HR

(21) radial injury (nerve)

at wrist doesn't cause wrist drop.

Fromenti' th in median nerve

(22) AS $\bar{}$ failure

ans. $\bar{}$ coronary artery stenosis

Fluid bolus appropriate

by $\bar{}$ β blockers

nitrates absolutely c/i

(23) burns adm. vitreia (not)

20% first degree

burns to special areas
lightning

(24) aortic dissection CDR follows true except
depression of rt. main bronchus

(25) rad. inv following true
imaging not indicated for micro-haemorrhage
Fast detects blood 100mls.
oral contrast mandatory for CT c/ds

(26) TSS
Few & multisystem involvement a vitreia
only caused by tampons

(27) vertigo
not fixed due to central cause
(r/o fixation ↑ intensity in central cause)

(28) Extubation
done during expiration
laryngospasm → P_{RV} \bar{c} 10% O₂
ligocaine ↓ the cough response

(29) Intussusception

(30) Manic symptoms
exacerbated by cocaine, amphetamine

(31) Blood transfusion

ABO incompat. in 5%.

cont. hyperbilir → needs inv.

fever is due to leu. ab.

(32) Boerhaave's

occurs on st.

an \bar{c} CXR shows in 90%.

Should not be inv \bar{c} Barium.

(33) Pulp space infection (Paronychia)

AB + warm compresses

(34) Pelvic #

venous bleeding can not be prevented by coiling.

(35) hyperthermia

an \bar{c} centrilobular necrosis

(36) ischemic colitis - ~~not~~
angiographic is ^{not} sensitive / helpful.
usually due to large vessel disease
can present \bar{c} diarrhea

(37) IIBP
can present \bar{c} uveitis

(38) ~~red~~ & vision not affected by
episcleritis

(39) neonatal resuscitation

3:1

(40) Paediatric resuscitation

15:2

once intubated, chest compression ceased during
~~the~~ ventilation

(41) elbow dislocation

in children assoc. \bar{c} lat condyle $\#$
pain on passive extension early sign of Wilkman's

(42) AKA

may be assoc. \bar{c} normal / low alcohol levels

(43) SIADH due by

hypervolaemia

urine Na > 20 mmol